


		REVISIONS		
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	01	CHANGED BOTTOM DETAIL	2/23/05	PFE
	02	CHANGED TRIM CUT SPECIFICATION	5/6/05	PFE
	03	CHANGED TRIM CUT SPECIFICATION	6/13/07	PFE


NOTE: TOP DIAMETER
TO BE 21 9/16" +/- 1/8"

9/16" MIN
5/8" MAX

CUT HEIGHT



TYPICAL
ELEVATION



ISOMETRIC SKETCH
(NOT TO SCALE)

NOTES:

1. DO NOT SCALE DRAWING
2. DRAWING SHOWS FINISHED MOLDED PART - TRIMMED
3. ALL CORNERS AND EDGES TO HAVE RADII
4. ESTIMATED SHOT WEIGHT 14.25 POUNDS
5. NOMINAL WALL THICKNESS TO BE 0.180
6. TOP DETAIL DESIGNED FOR 21.5 INCH LEVER-LOCK LID
7. 32.7 GALLONS DISPLACEMENT VOLUME
8. APPROX. 30 GALLONS USEABLE VOLUME

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF REMCON PLASTICS INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF REMCON PLASTICS INC. IS STRICTLY PROHIBITED.

		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: N/A ANGULAR: +/- 0.5 DEG. DECIMAL: ± 0.010 IN/IN UNLESS STATED OTHERWISE		NAME	DATE	REMCON PLASTICS, INC. ND-32 NESTABLE DRUM FOR 21.5 INCH LEVER-LOCK LID & RING GENERAL SPECIFICATIONS
				DRAWN	PFE 12/16/04	
				CHECKED		
				ENG APPR.		
				MFG APPR.		
				Q.A.		
				COMMENTS:		
MATERIAL	LLDPE					
FINISH	SANDBLAST					
NEXT ASSY	USED ON					
APPLICATION	DO NOT SCALE DRAWING					
SIZE	DWG. NO.		A-20088		REV. 3	
SCALE:1:8	PROJECT: #1627				SHEET 1 OF 1	